



HARYANA STATE POLLUTION CONTROL BOARD

Haryana State Pollution Control Board, 3rd Floor,
HSIIDC Office Complex, IMT Manesar,
Gurugram Email:- hspcbrogrs@gmail.com
E-mail: hspcb@hry.nic.in



No. HSPCB/Consent/ : 313295824GUSOCTO52965396

Dated:18/01/2024

To.

M/s :GOOD 2 GO GLOBAL LLP
C505 POINEER INDUSTRIAL PARK BILASPUR PATHREDI GURUGRAM

Subject: Grant of consent to operate to M/s GOOD 2 GO GLOBAL LLP.

Please refer to your application no. 52965396 received on dated 2023-12-15 in regional office Gurgaon South. With reference to your above application for consent to operate, M/s GOOD 2 GO GLOBAL LLP is here by granted consent as per following specification/Terms and conditions.

Consent Under	BOTH
Period of consent	18/01/2024 - 31/03/2028
Industry Type	Polythene and plastic processed products manufacturing (virgin plastic)
Category	GREEN
Investment(In Lakh)	248.0
Total Land Area(Sq. meter)	1081.0
Total Builtup Area(Sq. meter)	1347.0
Quantity of effluent	
1. Trade	0.0 KL/Day
2. Domestic	4.2 KL/Day
Number of outlets	1.0
Mode of discharge	
1. Domestic	Sewer
2. Trade	
Domestic Effluent Parameters	
1. NA	
Trade Effluent Parameters	
1. NA	
Number of stacks	1
Height of stack	
1. ATTACHED WITH Gen SET OF 500 KVA	15 Meter
Emission parameters	
1. NA	
Product Details	

1 . B I O C O M P O S T A B L E P L A S T I C B A G S	2500 Numbers/ day
Capacity of boiler	
1. NA	Ton/hr
Type of Furnace	
1. NA	
Type of Fuel	
1. Gas or any other fuel approved by CAQM, CPCB, HSPCB	250 KG/Day
Raw Material Details	
PBAT	20 Kg/Day
PLA	5 Kg/Day

*Regional Officer, Gurgaon South
Haryana State Pollution Control Board.*

Terms and conditions

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.
4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.
6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.

10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.

11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.

12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.

13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.

14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.

15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.

16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.

HARYANA STATE Specific Conditions :

1. CTO so granted is on the basis of detail submitted by the unit in online application, CTO granted is without prejudice to the action to be taken in respect of any violation made by unit in past & CTE/CTO will be deemed revoked & further action will be taken as per law if any violation observed at any stage. 2. Unit will submit an online application 90 days before expiry of CTO. 3. Unit will follow all ACTS/Rules/Regulation issued by the HSPCB/CPCB/NGT from time to time in future. 4. Unit should comply the directions, conditions, guidelines, orders and rules etc. issued by Monitoring committee / EPCA, HSPCB, CPCB, MoEF, Hon'ble High Court & Hon'ble Supreme Court of India time to time, otherwise CTE/CTO so granted shall be revoked without giving any further notice. 5. A detailed water harvesting plan may be submitted by the project proponent. 6. That in case any additional charges / fees / penalty etc. are found payable towards this CTO as per audit then the same shall be paid by the unit without any objection immediately as and when demanded by this office 7. If at any stage found that unit was involved in any past violation regarding Environment Laws / Rules / Acts then CTE/CTO so granted shall be revoked automatically & legal action will be initiated against the project proponent. 8. Unit will use underground water after obtaining approval from the concerned authority. 9. That this CTO will not provide any immunity from any other Act/Rules/Regulations applicable to the project/land in question. 10. Unit will not change the quantity of effluent/Air emission without prior permission of the Board. 11. Stack emission level should be stringent than the existing standards in terms of the identified critical pollutants. 12. Unit will dispose off their waste/spent oil of Gen sets only to authorized recyclers by the HSPCB and oily cloths, gloves and other waste will be handed over to CTSDFs. 13. Unit will obtain all necessary clearance from all concerned departments/Authorities 14. Unit will submit a copy of registration in HWRA for extraction of ground water within 90 days as applicable. 15. Stipulation of greenbelt outside the project

premises such as avenue plantation, plantation in vacant areas, social forestry etc. 16. Unit will not generate and discharge any type trade effluent inside or outside the premises of the unit. 17. Unit will strictly comply with the directions of CPCB vide letter No B17011/7/UPC-IIPWM(SUP)/2022 dated 01.02.2022. 18. Unit will comply with all the provisions of PWM Rules, 2016 and as amended from time to time. 19. Unit should comply with directions of Haryana Govt., Urban Local Bodies Department, vide Haryana Govt. GAZ (EXTRA) Aug.20.2013(SRVN.29.1935 SAKA) dated 20/08/2013 and does not manufacture plastic carry bags in the premises or outside the premises by the unit or their persons. 20. If found violating any of the provisions of PWM Rules, orders and directions as mentioned and any of the above said conditions, the CTO so granted will stand revoked apart from initiation of legal action against the unit. 21. Unit will comply all the Act/Rules/Notification/Directions i.e. HOWM Rules, E-waste Rules, PMW Rules, BMW Rules, Battery Rules and MSW Rules etc. 22. The unit will provide proper sampling arrangements on their stacks and effluent sources as applicable. 23. Unit will not store any type of material/products other than the permission obtained by the unit. 24. Unit will not store any hazardous type material/product which comes under the preview of HOWM Rules, 2016. 25. The unit will install the project only on the premises for which the unit has applied for NOC. 26. Unit will comply with the conditions mentioned in the letter dated 25-10-2019 of CPCB regarding mechanism for Environmental management. 27. Unit needs to operate Generator only on approved fuel in compliance with CAQM Direction vide no. 73 & 75. 28. Unit will comply all the directions issued by CAQM, CPCB and HSPCB time to time. 29. Unit will submit the compliance of CTO conditions within 90 days.

**Regional Officer, Gurgaon South
Haryana State Pollution Control Board.**

